

# PUSH-TYPE RETAINERS

## Sec. 19

Refer to Retainer Specification Chart on pages 534-545  
Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



### 20753

(01553-03201)  
Black Nylon

Front & Rear Bumper  
Push-Type Retainer  
Head Diameter: 22mm  
Stem Length: 21mm  
Fits into 8mm Hole  
Nissan 1982 - On

UNIT PACKAGE: 10



### 21251

(6Q0-868-243)  
Black & White Nylon

Trim Panel  
Push-Type Retainer with Sealer  
Head Diameter: 22.5mm  
Stem Length: 8mm (Excluding the Pin)  
Fits into 8mm Hole  
Volkswagen Golf, Jetta, Passat, Phaeton,  
Rabbit & Tiguan 2004 - On

UNIT PACKAGE: 15



### 22282

(Mazda: FD01-68-AC3)  
Gray Nylon

Bumper Filler & Door Panel  
Push-Type Retainer  
Head Diameter: 22mm  
Stem Length: 25mm  
Fits into 8mm Hole  
Mazda 2, 3, 5, 6,  
CX-5, CX-7 & CX-9  
2004 - On

UNIT PACKAGE: 15



### 22256

(Jaguar: XR831159)  
Black Nylon

Radiator Support &  
Air Deflector Shield  
Push-Type Retainer  
Head Diameter: 24mm  
Stem Length: 12mm  
Fits into 12mm Hole  
Jaguar X, XF, XJ-L & XK 2012 - On

UNIT PACKAGE: 10



### 18269

(6503106)  
Black Nylon

Lower Sill Moulding  
Push-Type Retainer  
Large Head Diameter: 7/8" (22mm)  
Stem Length: 1" (25.4mm)  
Fits into 1/4" (6.4mm) Hole  
Jeep Grand Cherokee Laredo 1994 - On

UNIT PACKAGE: 15



### 21482

(1H0-867-199-A)  
Black Nylon

Push-Type Retainer  
Head Diameter: 24mm  
Stem Length: 13mm  
Fits into 9mm Square Hole  
VW Passat 1999 - 90

UNIT PACKAGE: 25



### 15043

(14103461)  
Black Nylon

Bumper Fascia Retainer  
Head Diameter: 7/8" (22mm)  
Shoulder Length: 5/32" (4mm)  
Stem Length: 1-3/64" (26.5mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1987 - On

UNIT PACKAGE: 25



### 21452

(1H0-819-055-C01C)  
Black Nylon

Push-Type Retainer  
Top Head Diameter: 23mm  
Bottom Head Diameter: 16mm  
Stem Length: 15mm  
Fits into 8mm x 8mm Square Hole  
VW 2002 - 1993

UNIT PACKAGE: 25



### 21578

(57750AA090)  
Black Nylon

Front & Rear Bumper  
Push-Type Retainer  
Head Diameter: 22mm  
Stem Length: 28mm  
Fits into 10mm Hole  
Subaru Impreza & Legacy 2001 - 1993

UNIT PACKAGE: 25



### 20767

(4806110-AA)  
Black & White Nylon

Front Bumper Push-Type Retainer  
Head Diameter: 24mm  
Shoulder Length: 3mm  
Stem Length: 20mm  
Fits into 11mm Hole  
Chrysler 300 & Dodge Magnum 2005 - On

UNIT PACKAGE: 15

## Sec. 19

# PUSH-TYPE RETAINERS

Refer to Retainer Specification Chart on pages 534-545

Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**21376**

(4389947-AA)  
Black and White Nylon

Bumper Cover  
Push-Type Retainer with Sealer  
Head Diameter: 24mm  
Shoulder Length: 3mm  
Stem Length: 20mm  
Fits into 11mm Hole  
Chrysler Avenger, Journey & Sebring  
2008 - On

UNIT PACKAGE: 10



**20233**

(W705956-S300)  
Black Nylon

Cowl Push-Type Retainer  
Head Diameter: 25mm  
Shoulder Diameter: 10mm  
Shoulder Length: 3mm  
Stem Length: 12mm (Excluding the Pin)  
Fits into 9mm Hole  
Lincoln LS 1999 - On

UNIT PACKAGE: 15



**21176**

(10382313)  
Black Nylon

Sight Shield & Trim  
Push-Type Retainer  
Head Diameter: 24.5mm  
Stem Length: 13mm (Excluding the Pin)  
Fits into 9mm Hole  
Cadillac STS, Pontiac Solstice and  
Saturn Sky 2005 - On

UNIT PACKAGE: 10



**22047**

(Subaru: 94415FA000NE)  
Gray & Black Nylon

Rear Roof Spoiler Trim  
Push-Type Retainer  
Top Head Diameter: 25mm  
Bottom Head Diameter: 21mm  
Stem Length: 9mm (Not including the Pin)  
Fits into 8mm Hole  
Impreza 2007 - 1998

UNIT PACKAGE: 15



**20518**

(W705957-S300, W706519-S300)  
Black Nylon

Radiator Sight Shield  
Push-Type Retainer  
Head Diameter: 24.5mm  
Stem Length: 14mm  
Fits into 9mm Hole  
Lincoln LS 2000 - On

UNIT PACKAGE: 10



**21501**

(909140055)  
Black Nylon

Push-Type Retainer with Sealer  
Head Diameter: 25mm  
Shoulder Length: 3mm  
Shoulder Diameter: 16.5mm  
Stem Length: 16mm (Excluding the Pin)  
Fits into 11mm Hole  
Subaru 2006 - On

UNIT PACKAGE: 5



**21400**

(10426555)  
Natural Nylon

Front Bumper  
Push-Type Retainer  
Top Head Diameter: 24.5mm  
Bottom Head Diameter: 23.5mm  
Stem Length: 36mm  
Fits into 10mm Hole  
Buick Allure & LaCrosse  
Chevrolet Impala &  
Monte Carlo and  
Pontiac Grand Prix 2000 - On

UNIT PACKAGE: 15



**21576**

(909140002)  
Black Nylon

Rocker, Pillar, Floor & Exterior Trim  
Push-Type Retainer with Sealer  
Head Diameter: 25mm  
Shoulder Diameter: 17mm  
Shoulder Length: 3mm  
Stem Length: 16mm (Excluding the Pin)  
Fits into 11mm Hole  
Subaru B9 Tribeca, Baja, Legacy &  
Outback 2000 - On

UNIT PACKAGE: 25

# PUSH-TYPE RETAINERS

# Sec. 19

Refer to Retainer Specification Chart on pages 534-545  
Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



## 20993

(GM: 11589295; Ford: W712665-S300)  
Black Nylon

Fender, Flare, Gas Tank &  
Panel Attachment Push-Type Retainer  
Head Diameter: 25mm  
Stem Length: 20mm  
Panel Range: 3.0mm - 6.0mm  
Fits into 10.5mm Hole  
Chevrolet Cobalt & HHR,  
GM C & K Trucks and  
Pontiac G5 2005 - On

UNIT PACKAGE: 25



## 21361

(GM: 11561874;  
Nissan: 622A2-9E000A)  
Black Nylon

Bumper Cover Push-Type Retainer  
Head Diameter: 25mm  
Stem Length: 29mm  
Fits into 7mm Hole  
Chevrolet Malibu 2008 - On  
Saturn Aura 2007 - On  
Pontiac G6 2010 - On  
Nissan Altima 1997 - On

UNIT PACKAGE: 15



## 20994

(11589296)  
Black Nylon

Panel Attachment &  
General Purpose  
Push-Type Retainer  
Head Diameter: 25mm  
Stem Length: 23mm  
Panel Range: 6.0mm - 9.00mm  
Fits into 10.5mm Hole  
Buick Enclave and GMC Acadia  
2007 - On

UNIT PACKAGE: 25



## 19244

(N808847-S)  
Black Nylon

Trunk Trim Panel  
Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 11/16" (17.5mm)  
Fits into 1/4" (6.4mm) Square Hole  
Ford Taurus & Sable 1996 - On

UNIT PACKAGE: 25



## 22284

(Ford: W718365-S300)  
Black Nylon

Front Fender, Cowl Grille,  
Rocker & Mudguard  
Push-Type Retainer  
Head Diameter: 25mm  
Stem Length: 24mm  
Fits into 8.5mm Hole  
Ford Mustang & Transit  
Connect and Lincoln  
MKC 2014 - On

UNIT PACKAGE: 10



## 14010

(14045480)  
Black Nylon

Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 23/32" (18.3mm)  
Fits into 3/8" (9.5mm) Hole  
GM 1982 - On

UNIT PACKAGE: 25



## 15701

(N804674-S)  
Black Nylon

Push-Type Retainer  
Head Diameter: 25mm  
Stem Length: 27mm  
Fits into 7mm Hole  
Ford Mustang & Capri

UNIT PACKAGE: 50



## 12757

(5973400)  
Black Nylon

Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/8" (3.2mm)  
Stem Length: 3/4" (19mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1979 - On

UNIT PACKAGE: 15

## 16265

Same as 12757 except unit package quantity

UNIT PACKAGE: 50

## Sec. 19

# PUSH-TYPE RETAINERS

Refer to Retainer Specification Chart on pages 534-545

Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**14147**  
(20547865)  
Black Nylon

Body Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 7/8" (22mm)  
Fits into 1/4" (6.4mm) Hole  
GM 1984 - On


UNIT PACKAGE: 25



**14994**  
(N804837S)  
Black Nylon

Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 29/32" (23mm)  
Fits into 1/4" (6.4mm) Hole  
Ford 1987 - On

UNIT PACKAGE: 50



**14020**  
(Ford: N802781-S; GM: 14093088)  
Black Nylon

Splash Shield & Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 7/8" (22mm)  
Fits into 1/4" (6.4mm) Hole  
GM & Ford


UNIT PACKAGE: 25



**18310**  
(22587036)  
Black Nylon

Rear Bumper Fascia  
Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 15/16" (24mm)  
Fits into 3/8" (9.5mm) Hole  
Chevrolet Cavalier & Pontiac Sunfire  
1995 - On

UNIT PACKAGE: 25



**14019**  
(Ford: N803421-S, Chrysler: 6501590)  
Black Nylon

Splash Shield & Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/8" (3.2mm)  
Stem Length: 7/8" (22mm)  
Fits into 5/16" (8mm) Hole  
Ford & Chrysler

UNIT PACKAGE: 25



**15702**  
(14101262)  
Black Nylon

Plastic Cover on Engine  
Compartment Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/8" (3.2mm)  
Stem Length: 15/16" (24mm)  
Fits into 1/2" (12.7mm) Hole  
Buick, Oldsmobile & Pontiac 1988 - On

UNIT PACKAGE: 25



**13994**  
(GM: 20570245, 20635065;  
Ford: N804614S)  
Black Nylon

Splash Shield, Seat Cushion &  
Spare Tire Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 7/8" (22mm)  
Fits into 5/16" (8mm) Hole  
GM 1984 - On  
Ford

UNIT PACKAGE: 25



**20265**  
(25663903)  
Black Nylon

Radiator Support Sight Shield  
Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 1" (25.4mm)  
Fits into 1/4" (6.4mm) Hole  
Cadillac DeVille & Seville 1998 - On

UNIT PACKAGE: 10



**12756**  
(5973996)  
Brown Nylon

Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/4" (6.4mm)  
Stem Length: 7/8" (22mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1982 - On

UNIT PACKAGE: 15



**18503**  
(W701054-S300)  
Black Nylon


Front Bumper Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 1" (25.4mm)  
Fits into 5/16" (8mm) Hole  
Ford Contour & Mystique 1995 - On

UNIT PACKAGE: 25

# PUSH-TYPE RETAINERS

# Sec. 19

Refer to Retainer Specification Chart on pages 534-545  
Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**15044**  
(22535007)  
Black Nylon

Bumper Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/8" (3.2mm)  
Stem Length: 1" (25.4mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1987 - On

UNIT PACKAGE: 25



**18268**  
(15959832)  
Black Nylon

Front License Plate Bracket  
Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 9/64" (3.6mm)  
Stem Length: 1-5/8" (41.3mm)  
Fits into 1/2" (12.7mm) Hole  
GM Truck 1994 - On

UNIT PACKAGE: 5



**15045**  
(10053388, 22542705)  
Black Nylon

Bumper Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/8" (3.2mm)  
Stem Length: 1-7/64" (28.2mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1987 - On

UNIT PACKAGE: 25



**18334**  
(15959833)  
Gray Nylon

Front License Plate Bracket  
Push-Type Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 1-3/4" (44.5mm)  
Fits into 1/2" (12.7mm) Hole  
GM S-10 Truck with  
Decor Package  
1994 - On

UNIT PACKAGE: 5



**18394**  
(6503453)  
Black Nylon

Bumper Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Stem Length: 1-1/8" (28.5mm)  
Fits into 1/4" (6.4mm) Hole  
Jeep Grand Cherokee 1994 - On

UNIT PACKAGE: 25



**21238**  
(22718369)  
Black Nylon

Fuel Tank Shield &  
Miscellaneous Push-Type Retainer  
Head Diameter: 26mm  
Stem Length: 12mm  
Fits into 10mm Hole  
Chevrolet Malibu & Trail Blazer 2004 - On

UNIT PACKAGE: 25



**15042**  
(10077283)  
Black Nylon

Bumper Fascia Retainer  
Head Diameter: 1" (25.4mm)  
Shoulder Length: 1/4" (6.4mm)  
Stem Length: 1-1/8" (28.5mm)  
Fits into 1/2" (12.7mm) Hole  
GM 1982 - On

UNIT PACKAGE: 25



**19892**  
(25695687)  
Black Nylon

Radiator Support Sight Shield  
Push-Type Retainer  
Head Diameter: 27mm  
Shoulder Length: 7mm  
Stem Length: 18mm  
(Excluding the Pin)  
Fits into 10mm Hole  
Cadillac DeVille & Seville 2000 - On

UNIT PACKAGE: 15

## Sec. 19

# PUSH-TYPE RETAINERS

Refer to Retainer Specification Chart on pages 534-545

Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**17616**

(21077131)  
Black Nylon

Bumper Fascia  
Push-Type Retainer  
Head Diameter: 1-3/16" (30mm)  
Stem Length: 2" (51mm)  
Fits into 7/16" (11mm) Hole  
GM Saturn 1991 - On

UNIT PACKAGE: 10



**22339**

(Mercedes: 001-990-01-92)  
Black Nylon

Rocker Panel Moulding  
Push-Type Retainer  
Head Diameter: 30.5mm  
T25 Drive  
Stem Length: 17mm  
Fits into 8.5mm Hole  
Mercedes-Benz CLS550,  
CLS63 AMG, SL550, SL600,  
SL63 AMG, SLK300, SLK350  
and SLK55 AMG 2011 - 2008

UNIT PACKAGE: 25



**21348**

(6508643-AA)  
Black Nylon

Tail Light Push-Type Retainer  
Top Head Diameter: 31.5mm  
Bottom Head Diameter: 20mm  
Stem Length: 23mm  
Fits into 10mm Hole  
Dodge Nitro and Jeep 2008 - On

UNIT PACKAGE: 15



**17080**

(OH452KD5)  
Nylon Quartz Matte Finish

Headliner Retainer  
Head Diameter: 1-1/4" (32mm)  
Stem Length: 7/16" (11mm)  
Fits into 1/4" (6.4mm) Hole  
Dodge Caravan & Plymouth Voyager  
1984 - On

UNIT PACKAGE: 15



**20963**

(4806334-AA)  
Black & White Nylon

Rear Bumper Push-Type  
Retainer with Sealer  
Head Diameter: 34mm  
Shoulder Length: 3.5mm  
Stem Length: 17mm  
Fits into 8.5mm Hole  
Dodge Caliber and  
Jeep Compass & Patriot  
2007 - On

UNIT PACKAGE: 10



**19638**

(Chrysler: 4805405AA;  
Ford: 1L5Z-17K826AA)  
Black & White Nylon

Front Bumper Fascia  
Push-Type Retainer  
Head Diameter: 34mm  
Shoulder Length: 3mm  
Stem Length: 20mm  
Fits into 8mm Hole  
Chrysler Concorde, Intrepid, Eagle,  
Pacifica & PT Cruiser 1998 - On  
Ford Trucks 2005 - On

UNIT PACKAGE: 15



**22072**

(Toyota: 76923-47010)  
Black Nylon

Rocker Moulding  
Push-Type Retainer  
Head Diameter: 38mm  
Stem Length: 32mm  
Fits into 22mm Hole  
Lexus HS 250h & CT 200h  
and Toyota Prius 2010 - On

UNIT PACKAGE: 5

# PUSH-TYPE RETAINERS

Sec. 19

Refer to Retainer Specification Chart on pages 534-545  
Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**16115**  
(5113-885-399)  
Black Nylon

Push-Type Retainer  
Head Size: 7mm x 15mm  
Stem Length: 17mm  
Fits into 6mm x 6mm Hole  
BMW

UNIT PACKAGE: 25



**16725**  
(66814-01G00)  
Black Nylon

Cowl Grille Retainer  
Head Size: 8mm x 12mm  
Stem Length: 8mm  
Fits into 6mm Square Hole  
Nissan Pick-Up 1986 - On

UNIT PACKAGE: 25



**20923**  
(Ford: 3M8Z-1502316-A;  
Mazda: GJ6E-50-715A)  
Black Nylon

Cowl Vent Push-Type Retainer  
Head Size: 8.5mm x 12mm  
Stem Length: 9mm  
Fits into 5mm Hole  
Ford Fusion, Milan & Zephyr 2006 - On  
Mazda 5 & 6 2003 - On

UNIT PACKAGE: 15



**20407**  
(9133073-8)  
Black Nylon

Hood Insulation & Radiator Seal  
Push-Type Retainer  
Head Size: 8mm x 25mm  
Stem Length: 10mm  
Fits into 5mm Hole  
Volvo 850, 940, 960, S80, S90 & V90 1991 - On

UNIT PACKAGE: 25



**20203**  
(124-990-07-92)  
Black Nylon

Push-Type Retainer  
Head Size: 11mm x 14mm  
Stem Length: 8mm  
Fits into 7mm x 8mm Hole  
Mercedes-Benz 124, 129, 140, 170, 202,  
203, 208, 210, 215 & 220 1986 - On

UNIT PACKAGE: 25



**14953**  
(Ford: N803494S; GM: 15679091)  
Black Nylon

Fascia, Trim & Grille Retainer  
Head Size: " 15/32" x 15/32"  
(12mm x 12mm)  
Stem Length: 21/32" (16.7mm)  
Fits into 1/4" (6.4mm) Square Hole or Slot  
Ford Aerostar, Escort & Lynx 1985 - On  
GM 1994 - On

UNIT PACKAGE: 25



**14725**  
(66824-W1000)  
Black Nylon

Push-Type Retainer  
Head Size: 12mm x 18mm  
Stem Length: 10mm  
Fits into 6mm Hole  
Nissan

UNIT PACKAGE: 15



**22041**  
(GM: 92139147)  
Black Nylon

Front & Rear Bumper Fascia  
Push-Type Retainer  
Head Size: 14mm x 21mm  
Stem Length: 16mm  
Fits into 8mm Hole  
Chevrolet Caprice and  
Pontiac G8 & GTO 2011 - 04

UNIT PACKAGE: 25



**14727**  
(Nissan: 63844-D0100;  
Isuzu: 8942211500)  
Black Nylon

Push-Type Retainer  
Head Size: 14mm x 22mm  
Stem Length: 9mm  
Fits into 7mm Hole  
Isuzu & Nissan

UNIT PACKAGE: 25



**20892**  
(12337831)  
Black Nylon

Front Bumper Push-Type Retainer  
Head Size: 14mm x 26mm  
Stem Length: 14mm  
Fits into 8mm Hole  
Pontiac G6 2005 - On

UNIT PACKAGE: 50

## Sec. 19

## PUSH-TYPE RETAINERS

Refer to Retainer Specification Chart on pages 534-545

Listed smallest to largest by Head Diameter, Stem Length and then by Hole Diameter.



**14008**

(14032200)  
Black Nylon

Grille Attachment Retainer  
Head Size: 19/32" x 3/4"  
(15mm x 19mm)  
Stem Length: 19/32" (15mm)  
Fits into 5/16" (8mm) Hole  
GM 1981 - On

UNIT PACKAGE: 25



**17104**

(6501630, 6501772, 6501878)  
Black Nylon

Headlight & Tail Light  
Panel Attachment  
Push-Type Retainer  
Head Size: 15mm x 31mm  
Stem Length: 17mm  
Fits into 5mm x 6.5mm Hole  
Dodge Daytona 1987 - On

UNIT PACKAGE: 10




**16843**

(Mazda: BF82-50-233;  
Nissan: 01553-01393)  
Black Nylon

Bumper Cover  
Push-Type Retainer  
Head Size: 20mm x 30mm  
Stem Length: 18mm  
Fits into 10mm Hole  
Mazda & Nissan

UNIT PACKAGE: 10



**18029**

(4630253)  
Black Nylon

Rear Fascia  
Push-Type Retainer  
Head Size: 7/8" x 1-25/32"  
(22mm x 45.5mm)  
Stem Length: 1-1/16" (27mm)  
Fits into 1/2" (12.7mm) Hole  
Chrysler Concorde & LHS  
Dodge Intrepid & Eagle Vision  
1993 - On

UNIT PACKAGE: 15



**20890**

(55157112-AA, 55157112-AB)  
Black & Natural Nylon

Bumper Cover  
Push-Type Retainer  
Head Size: 25mm x 45mm  
Shoulder Length: 3mm  
Stem Length: 20mm  
Fits into 9.5mm Hole  
Jeep Liberty 2005 - On

UNIT PACKAGE: 15

## BODY HARDWARE MASTER PROGRAM

The Body Hardware Master Program, 6600BHM is based on Auveco's Display Boards, DB-428.

We have developed 20 large metal drawer assortments, which come in heavy gauge steel, pre-labeled and pre-loaded large drawers and cabinets.

Learn more about the Body Hardware Master Program in the green section of the catalog, online at [www.auveco.com](http://www.auveco.com) or contact customer service at 1-800-354-9816 or [mail@auveco.com](mailto:mail@auveco.com).

## "428" DISPLAY BOARDS


428 of the most popular body hardware and fastener items are shrink-wrapped onto seven different boards. Each board contains product groups, body shops are familiar with and use often.

The back of each board contains each part number, unit package quantity, OEM number and size specification. The backs are protected by a clear plastic liner.

Learn more about the display boards at the front of the catalog, online at [www.auveco.com](http://www.auveco.com) or contact customer service at 1-800-354-9816 or [mail@auveco.com](mailto:mail@auveco.com)




# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
11699	7	11/16" (17.5mm)	5/8" (16mm)	1/4" (6.4mm)		Black	506
11702	7	25/64" (10mm)	19/32" (15mm)	9/32" (7.1mm)		Natural	491
11704	7	11/16" (17.5mm)	7/16" (11mm)	9/32" (7.1mm)		Black	505
11705	7	19/32" (15mm)	5/8" (16mm)	1/4" (6.4mm)		Black	500
11706	7	3/4" (19mm)	11/16" (17.5mm)	1/4" x 1/4" (6.4mm x 6.4mm)	1/4" (6.4mm)	Black	514
11854	7	7/16" (11mm)	9/32" (7.1mm)	3/16" (4.8mm)		Natural	492
12567	5	11/16" (17.5mm)	9/16" (14.3mm)	1/4" (6.4mm)		Black	505
12756	5	1" (25.4mm)	7/8" (22mm)	1/2" (12.7mm)	1/4" (6.4mm)	Brown	529
12757	5	1" (25.4mm)	3/4" (19mm)	1/2" (12.7mm)	3/4" (19mm)	Black	528
13230	7	10mm	7mm	5mm		Black	490
13457	1 (Phillips Hex Drive)	43/64" (17mm)	23/64" (18.3mm)	5/16" (8mm)		Black	505
13469	1 (Phillips Hex Drive)	3/4" (19mm)	1/2" (12.7mm)	1/4" (6.4mm)		Black	513
13993	6	11/16" (17.5mm)	7/8" (22mm)	1/4" (6.4mm)		Black	506
13994	6	1" (25.4mm)	7/8" (22mm)	5/16" (8mm)		Black	529
13996	6	11/16" (17.5mm)	7/8" (22mm)	9/32" (7.1mm)		Black	506
13999	3	3/8" (9.5mm)	1/2" (12.7mm)	7/32" (5.6mm)		Black	490
14001	5	21/32" (16.7mm)	19/32" (15mm)	5/16" (8mm)		Black	504
14007	5	11/16" (17.5mm)	9/16" (14.3mm)	1/4" (6.4mm)		Black	505
14008	11	19/32" x 3/4" (15mm x 19mm)	19/32" (15mm)	5/16" (8mm)		Black	533
14010	5	1" (25.4mm)	23/32" (18.3mm)	3/8" (9.5mm)		Black	528
14011	5	21/32" (16.7mm)	9/16" (14.3mm)	5/16" (8mm)		Black	504
14016	3	3/8" (9.5mm)	7/16" (11mm)	3/16" (4.8mm)		Black	490
14018	3	18mm	23mm	7mm		Black	512

# Sec. 19


# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
14019	6	1" (25.4mm)	7/8" (22mm)	5/16" (8mm)	1/8" (3.2mm)	Black	529
14020	6	1" (25.4mm)	7/8" (22mm)	1/4" (6.4mm)		Black	529
14147	6	1" (25.4mm)	7/8" (22mm)	1/4" (6.4mm)		Black	529
14260	1	15mm	12mm	7mm		Black	498
14369	1	20mm	9mm	6mm		Black	515
14696	1	15mm	11mm	6mm		Black	498
14697	1	14mm	11mm	7mm		Black	496
14698	1	18mm	11mm	6mm		Black	508
14725	10	12mm x 18mm	10mm	6mm		Black	532
14726	1	17mm	18mm	8mm		Black	505
	(Phillips Hex Drive)						
14727	10	14mm x 22mm	9mm	7mm		Black	532
14753	2	11/16" (17.5mm)	7/8" (22mm)	1/4" (6.4mm)		Black	506
14953	10	15/32" x 15/32" (12mm x 12mm)	21/32" (16.7mm)	1/4" x 1/4" (6.4mm x 6.4mm)		Black	532
14987	2	11mm (7/16")	18mm (11/16")	6mm (15/64")		Black	493
14988	2	7/16" (11mm)	11/16" (17.5mm)	15/64" (6mm)		Black	493
14990	2	7/16" (11mm)	15/32" (11.9mm)	15/64" (6mm)		Black	492
	(Torx Drive)						
14991	2	11/16" (17.5mm)	11/16" (17.5mm)	1/4" (6.4mm)		Black	506
14992	2	19/32" (15mm)	29/32" (23mm)	1/4" (6.4mm)		Black	500
14993	2	11/16" (17.5mm)	7/8" (22mm)	1/4" (6.4mm)		Black	506
14994	2	1" (25.4mm)	29/32" (23mm)	1/4" (6.4mm)		Black	529
14995	2	1/2" (12.7mm)	1-13/64" (30.5mm)	9/32" (7mm)		Black	495
14997	2	19/32" (15mm)	13/16" (20.6mm)	5/16" (8mm)		Black	500
14998	2	27/32" (21.4mm)	1" (25.4mm)	13/32" (10.3mm)		Black	524
15042	6	1" (25.4mm)	1-1/8" (28.5mm)	1/2" (12.7mm)	1/4" (6.4mm)	Black	530
15043	6	7/8" (22mm)	1-3/64" (26.5mm)	1/2" (12.7mm)	5/32" (4mm)	Black	526

\*Not including the pin

# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
15044	6	1" (25.4mm)	1" (25.4mm)	1/2" (12.7mm)	1/8" (3.2mm)	Black	530
15045	6	1" (25.4mm)	1-7/64" (28.2mm)	1/2" (12.7mm)	1/8" (3.2mm)	Black	530
15522	5 (16mm)	5/8" (13.5mm)	17/32" (6.4mm)	1/4"		Black	503
15672	1 (Phillips Hex Drive)	17mm	14mm	8mm (5/16")		Black	505
15701	6	25mm	27mm	7mm		Black	528
15702	6	1" (25.4mm)	15/16" (24mm)	1/2" (12.7mm)	1/8" (3.2mm)	Black	529
16000	1	20mm	9mm	8mm		Black	516
16115	10	7mm x 15mm	17mm	6mm x 6mm		Black	532
16265	5	1" (25.4mm)	3/4" (19mm)	1/2" (12.7mm)	3/4" (19mm)	Black	528
16622	6	18mm	23mm	9.5mm (3/8")		Black	512
16624	3	17mm	18mm	9.5mm (3/8")	2mm	Black	505
16625	6	20mm	20mm	10mm x 10mm		Black	522
16725	11	8mm x 12mm	8mm	6mm x 6mm		Black	532
16726	3	18mm	18mm	6.3mm x 6.3mm		Black	510
16782	8	20mm	8mm*	8mm		Black	520
16783	8	12mm	8mm*	6mm		Black	493
16784	8	18mm	11mm*	7mm		Black	508
16816	3	14mm	14mm	6mm		Black	497
16835	2	27/32" (21mm)	1" (25mm)	1/2" (12mm)	1/8" (3mm)	Black	524
16843	10	20mm x 30mm	18mm	10mm		Black	533
16858	2	25/32" (20mm)	23/32" (18mm)	5/16" (8mm)		Black	522
16859	2	9/16" (14mm)	5/8" (16mm)	1/4" (6mm)		Black	497
17057	2	18mm	21mm	8mm		Black	512
17080	7	1-1/4" (32mm)	7/16" (11mm)	1/4" (6.4mm)		Quartz Matte Finish	531
17081	1	18mm	12mm	6mm		Black	508
17103	3	15mm	23mm	6mm		Black	500
17104	10	15mm x 31mm	17mm	5mm x 6.5mm		Black	533
17106	3	1/2" (12.7mm)	7/16" (11mm)	3/16" (4.8mm)		Black	495
17143	2	20mm	27mm	10mm		Black	524
17144	2	20mm	24mm	10mm		Black	523
17162	8	15mm	8mm*	6.3mm		Black	499

\*Not including the pin

# Sec. 19


# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
17192	4	18mm	14mm	8mm		Black	509
17206	1	15mm	12mm	9mm		Black	499
17214	2 (Torx Drive)	7/16" (11mm)	11/16" (18mm)	15/64" (6mm)		Black	493
17216	3	20mm	20mm	8mm		Black	522
17222	3	15mm	20mm	8mm		Black	500
17226	3	15mm	29mm	8mm		Black	501
17227	7	7mm	10mm	5mm		Black	490
17267	1	20mm	15mm	10mm		Black	521
17287	1	13mm	11mm	6mm		Black	495
17347	8	20mm	11mm*	8mm		Black	518
17350	1 (Phillips Hex Drive)	20mm	15mm	8mm		Black	520
17351	1	17mm	10mm	7mm		Black	504
17378	1	22mm	14mm*	11mm		Black	525
17379	1	20mm	9mm	8mm		Black	516
17383	8	11mm	14mm*	7mm		Black	492
17439	2	15mm	27mm	9mm		Black	501
17472	2	20mm	20mm	8mm		Black	522
17478	3	14mm	16mm	6mm		Black	497
17616	6	1-3/16" (30mm)	2" (51mm)	7/16" (11mm)		Black	531
17632	1	18mm	12mm	8mm		Black	508
17988	2	19mm	26mm	9mm		Black	514
17992	1	20mm	12mm	7mm		Black	518
18029	Misc.	7/8" x 1-25/32" (22mm x 45.5mm)	1-1/16" (27mm)	1/2" (12.7mm)		Black	533
18030	6	11/16" (17.5mm)	13/16" (20.6mm)	1/4" (6.4mm)		Black	506
18032	2	15/32" (11.9mm)	9/16" (14.3mm)	1/4" (6.4mm)		Black	493
18119	1	20mm	25mm	10mm		Black	523
18165	4	17mm	9mm	8mm		Black	504
18206	4	18mm	12mm	6mm		Gray	508
18265	6	16mm	20mm	8mm		Black	503
18268	6	1" (25.4mm)	1-5/8" (41.3mm)	1/2" (12.7mm)	9/64" (3.6mm)	Black	530
18269	5	7/8" (22mm)	1" (25.4mm)	1/4" (6.4mm)		Black	526
18270	8	17mm	9mm	7mm		Black	504
18308	3	3/4" (19mm)	1-1/8" (28.5mm)	1/4" (6.4mm)		Black	514

\*Not including the pin

# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
18310	6	1" (25.4mm)	15/16" (24mm)	3/8" (9.5mm)		Black	529
18327	5	11/16" (17.5mm)	5/8" (16mm)	1/4" (6.4mm)		Black	506
18334	6	1" (25.4mm)	1-3/4" (44.5mm)	1/2" (12.7mm)		Gray	530
18353	9	9/16" (14.3mm)	41/64" (16.3mm)	1/4" (6.4mm)		White	497
18394	3	1" (25.4mm)	1-1/8" (28.5mm)	1/4" (6.4mm)		Black	530
18503	6	1" (25.4mm)	1" (25.4mm)	5/16" (8mm)		Black	529
18873	3	18mm	28mm	9mm		Black	513
18888	4	20mm	8mm*	7mm		Black	515
18893	1	11/16" (17.5mm)	1/2" (12.7mm)	1/4" (6.4mm)		Black	505
18894	1	11/16" (17.5mm)	3/4" (19mm)	1/4" (6.4mm)		Black	506
18895	1	11/16" (17.5mm)	1-3/32" (28mm)	1/4" (6.4mm)		Black	506
18896	3	20mm	28mm	8mm		Black	524
18939	2	18mm	23mm	9mm		Black	512
18951	1	20mm	26mm	8mm		Black	523
19013	4	15mm	10mm	7mm		Black	498
19118	4	20mm	10mm	8mm		Black	517
19128	1	20mm	9mm	7mm		Black	516
19140	1	20mm	21mm	8mm		Black	522
19142	1	15mm	13mm	7mm x 7mm		Black	499
19186	4	11mm	10mm	8mm		Black	492
19195	7	16mm	12mm	8mm		Black	502
19219	Misc.	15mm	27mm	9mm		Black	501
19231	8	18mm	12mm	8mm		Black	510
19232	1	17mm	13mm	7mm		Black	504
19233	4	20mm	13mm	10mm		Black	519
19239	4	20mm	11mm	8mm		Black	518
19242	2	13/32" (10.3mm)	11/16" (17.5mm)	7/32" (5.6mm)		Black	492
19243	1	16mm	10mm*	9mm		Black	501
19244	6	1" (25.4mm)	11/16" (17.5mm)	1/4" x 1/4" (6.4mm x 6.4mm)		Black	528
19245	3	3/4" (19mm)	1-1/8" (28.5mm)	1/4" (6.4mm)		Black	514

\*Not including the pin

# Sec. 19


# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
19246	4	18mm	15mm	10mm		Black	510
19248	7	16mm	14mm	6mm		Black	503
19274	4	20mm	9mm*	8mm		Black	516
19297	8	16mm	12mm*	7mm		Black	502
19306	1	16mm	12mm	6mm		Black	502
19311	1	15mm	13mm	6mm		Black	499
19315	1	20mm	9mm*	8mm		Black	516
19337	Misc.	14mm	23mm	6.3mm		Black	497
19355	6	17/32" (13.5mm)	1-5/64" (27.5mm)	1/4" (6.4mm)		Black	496
19407	2	20mm	27mm	10mm		Black	524
19408	2	20mm	24mm	10mm		Black	523
19416	8	18mm	12mm*	9mm		Black	510
19422	4	23/32" (18.3mm)	29/32" (23mm)	5/16" (8mm)		Black	513
19453	4	18mm	15mm*	8mm		Black	510
19490	1	18mm	8mm	6mm		Black	507
19511	9	29/32" (23mm)	11/16" (17.5mm)	3/8" (9.5mm)		White	501
19522	3	12mm	18mm	6mm x 6mm		Black	494
19546	1	17mm	16mm	7mm x 7mm		Black	505
19547	4	17mm	13mm*	9mm		Black	504
19552	1	16mm	9mm	7mm		Black	501
19607	7	16mm	12mm	10mm		Natural	502
19615	3	20mm	21mm	9mm		Black	522
19638	Misc.	34mm	20mm	8mm	3mm	Black & White	531
19639	3	17mm	16mm	6mm		Black	505
19645	1	14mm	8mm*	6mm		Gray	496
19726	1	14mm	8mm*	6mm		Black	496
19739	2	20mm	26mm	9mm		Black	523
19747	1	18mm	10mm	8mm		Black	507
19787	2	12mm	17mm	6mm		Black	494
19788	2	11mm	20mm	6mm		Black	493
19801	3	19/32" (15mm)	3/4" (19mm)	1/4" (6.4mm)		Black	500
19847	5	7/8" (22mm)	25/32" (20mm)	1/2" (12.7mm)	5/32" (4mm)	Blue	525
19849	2	18mm	18mm	8mm		Black Nylon & Santoprene Rubber	511
19854	5	7mm	10mm	5mm		Black	490
19892	8	27mm	18mm*	10mm	7mm	Black	530
19904	7	16mm	14mm	9mm		Black	503

\*Not including the pin

# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
19905	1	20mm	8mm*	8mm		Black	515
19907	1	20mm	8mm*	7mm		Gray	515
19908	1	20mm	8mm*	7mm		Black	515
20163	Misc.	12.5mm	17mm	6mm		Black	495
20169	9	15mm	13mm	7mm		White	499
20187	7	10mm	10mm	6mm		Black	491
20196	1	14mm	8mm	6mm		Black	496
20203	Misc.	11mm x 14mm	8mm	7mm x 8mm		Black	532
20233	8	25mm	12mm*	9mm	3mm	Black	527
20234	5	15mm	15mm	6.3mm		Black	500
20244	9	19mm	32mm	8mm		Green with Sealer	515
20247	4	18mm	12mm	9mm		Black	509
20248	5	20mm	17mm	6.3mm		Black	521
20265	2	1" (25.4mm)	1" (25.4mm)	1/4" (6.4mm)		Black	529
20270	5	20mm	9mm	7mm		Black	516
20273	8	19mm	22mm	9mm	7mm	Gray	514
20310	7	5/8" (16mm)	7/16" (11mm)	1/4" (6.4mm)		Black	502
20314	7	13mm	14mm	8mm		Black	496
20327	4	18mm	22mm	9mm		Black	512
20335	4	18mm	7mm	7mm		Black	507
20348	2	20mm	22mm	8mm		Black	523
20349	4	18mm	12mm	8mm		Black	508
20352	2	16mm	21mm	8mm		Black	504
20359	(Slotted Drive) 6	18mm	26mm	10mm		Black	513
20363	9	20mm	12mm*	9mm		White	499
20365	4	18mm	13mm	7.5mm x 7.5mm		Black	509
20367	2	18mm	18mm	8mm		Black	511
20388	1	20mm	16mm	7mm		Black	521
20407	11	8mm x 25mm	10mm	5mm		Black	532
20457	3	21mm	23mm	9.5mm		Black	524
20458	6	20mm	17mm	7mm		Black	521
20465	1	18mm	9mm	8mm		Black	507
20516	1	20mm	13mm	8mm		Black	519
20518	(Hex Drive) Misc.	24.5mm	14mm*	9mm		Black	527
20542	6	16.5mm	27mm	8mm		Black	504
20545	2	18mm	18mm	6.3mm		Black Nylon & Santoprene Rubber	510
20564	4	20mm	18mm	10mm		Black	522

\*Not including the pin

# Sec. 19

# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
20577	1	20mm	8mm*	7mm		Black	515
20580	4	14mm	12mm	7mm		Black	499
20608	4	20mm	14mm	10mm		Black	520
20613	2	18mm	20mm	9mm		Black	511
20631	6	18mm	26mm	10mm		Black	512
20632	3	20mm	26mm	8mm		Black	523
20636	5	12mm	10mm	8.5mm		Dark Gray	493
20637	5	20mm	9mm	8mm		Black	516
20638	5	20mm	14mm	8.5mm		Black	520
20639	1	12mm	11mm	5mm x 5mm		Black	494
20640	1	12mm	11mm	5mm		Black	494
20666	8	12mm	14mm*	6mm		Gray	494
20734	7	20mm	15mm	6.3mm		Black	520
20739	8	22mm	10mm*	9mm		Black	524
20753	2	22mm	21mm	8mm		Black	526
20755	4	19.5mm	15mm	10mm		Black	515
20766	7	20mm	16mm	10mm		Black	521
20767	Misc.	24mm	20mm	11mm	3mm	Black & White	526
20768	4	18.5mm	21mm	8mm		Black with Sealer	513
20826	3	19mm	14mm	8.5mm		Black	514
20863	4	22mm	13mm*	15mm		Black	525
20869	4	18mm	7.5mm	7mm		Black	507
20880	3	18mm	20mm	6.5mm		Black	511
20888	3	18mm	20mm	9.5mm		Black	512
20889	3	20mm	22mm	8.5mm		Black	523
20890	Misc.	25mm x 45mm	20mm	9.5mm	3mm	Black & Natural	533
20892	10	14mm x 26mm	14mm	8mm		Black	532
20908	4	20mm	10mm	7mm		Black	517
20909	6	16mm	18mm	7mm		Black	503
20910	8	17mm	12mm	8mm		Black	504
20923	10	8.5mm x 12mm	9mm	5mm		Black	532
20931	3	18mm	31mm	9mm		Black	513
20943	2	14mm	23mm	7mm		Black	497
20948	8	22mm	10mm*	9mm		Tan	525
20953	4	20mm	13mm	8mm		Black	519
20963	Misc.	34mm	17mm	8.5mm	3.5mm	Black & White	531
20966	4	18mm	20mm	8mm		Black	511
20967	7	22mm	16mm	10mm		Black	525
20986	4	20mm	13mm	10mm		Black	519
20988	3	18mm	17.5mm	6.5mm		Black	510
20989	3	18mm	22mm	6.5mm		Black	512

\*Not including the pin



# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
20990	3	19mm	16mm	8mm		Black	514
20991	3	20mm	20mm	8.5mm		Black	522
20992	3	20mm	24mm	8.5mm		Black	523
20993	3	25mm	20mm	10.5mm		Black	528
20994	3	25mm	23mm	10.5mm		Black	528
21010	1	20mm	9mm	9mm x 9mm		Black	516
21011	4	15mm	17mm	7mm		Black	500
21021	8	22mm	10mm*	9mm		Gray	524
21024	4	18mm	10mm	6mm		Black	507
21037	7	10mm	10mm	6mm		Black	491
21044	1	16mm	11mm	6.3mm		Black	502
21086	5	20mm	10mm	8mm		Black	517
21089	1	18mm	18mm	8mm		Black	510
21098	1	18mm	18mm	6.4mm		Black	510
21103	1	10mm	12mm	5mm		Black	491
21104	1	14mm	14mm	7mm		Black	497
21110	8	18mm	12mm	8.5mm		Black	509
21112	2	15mm	14mm	6mm		Black	499
21119	2	20mm	19mm	6mm		Black	522
21120	8	15mm	9mm*	7mm		Black	499
21123	4	18mm	12mm*	8mm		Black	511
21134	8	20mm	11mm*	8mm		Black	520
21140	8	15mm	12mm	6.3mm		Black	498
21141	9	18mm	13mm	8mm		Black & White	509
21146	1	18mm	12mm	8mm		Black	508
21172	1	13mm	18mm	8mm		Black With Sealer	496
21173	4	20mm	16mm	10mm		Black	521
21176	Misc.	24.5mm	13mm*	9mm		Black	527
21190	8	16mm	14mm	7mm		Black	503
21192	4	20mm	12mm	8mm		Black	518
21201	4	19mm	8mm	7mm		Black	513
21218	1	11mm	8mm	5mm		Black	492
21225	5	18mm	14mm	7mm		Black	509
21233	2	10mm	13mm	5mm		Black	491
21238	7	26mm	12mm	10mm		Black	530
21246	8	12mm	14mm*	6mm		Black	494
21249	8	11mm	9mm*	7mm		Black	492
21251	Misc.	22.5mm	8mm*	8mm		Black & White	526
21294	4	20mm	9mm	7mm		Black	516
21297	4	20mm	11mm	10mm		Black	518
21311	1	18mm	12mm	8mm		Gray	508
21325	1	16mm	14mm	7mm		Black	503

\*Not including the pin

# Sec. 19


# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
21328	8	15mm	10mm	7mm		Black	498
21348	Misc.	20mm	23mm	10mm		Black	531
21361	6	25mm	29mm	7mm		Black	528
21366	4	22mm	15mm*	9mm		Black	525
21376	Misc.	24mm	20mm	11mm	3mm	Black & White	527
21391	7	12mm	11mm	8mm		Dark Gray	493
21400	Misc.	23.5mm	36mm	10mm		Natural	527
21420	4	21mm	15mm*	10mm		Black	524
21422	4	20mm	9mm*	7mm		Black	516
21427	8	22mm	10mm*	9mm		Gray	524
21451	4	14mm	10mm	8.5mm		Black	496
21452	1	16mm	15mm	8mm x 8mm		Black	526
21454	Misc.	20mm	13mm	10mm		Black	520
21477	8	16mm	14mm	7mm		Gray	503
21479	1	18.5mm	11mm	9mm		Gray	513
	(Allen Drive)						
21482	1	24mm	13mm	9mm x 9mm		Black	526
21500	1	20mm	12mm	7mm		Black	518
	(Slotted Drive)						
21501	4	25mm	12mm*	11mm	3mm	Black with Sealer	527
21525	8	19mm	9mm	7mm		Black	513
21529	3	18mm	22mm	6.5mm		Black with Sealer	512
21530	1	18mm	10mm	8mm		Black	507
21545	1	20mm	15mm	8mm		Black	520
21547	4	18mm	10mm	9mm		Black	508
21563	4	20mm	15mm	10mm		Black	521
21566	1	16mm	13mm	7mm		Black	502
21568	Misc.	14mm	15mm	10mm		Black	515
21570	1	16mm	11mm	6mm		Black	501
21571	1	20mm	10mm	8mm		Black	517
21576	4	25mm	16mm*	11mm	3mm	Black with Sealer	527
21578	2	22mm	28mm	10mm		Black	526
21580	1	20mm	12mm	7mm		Black	518
21585	5	9mm	7mm	4mm		Black	490
21592	1	20mm	11mm	7mm		Black	518
	(Slotted Drive)						
21593	1	15mm	8mm	7mm		Black	497
21594	1	20mm	11mm	7mm		Black	517
21596	4	20mm	16mm	8mm		Black	521
21601	9	22mm	16mm	9mm		White Nylon & Black Rubber Seal	503
21620	2	15mm	14mm	5mm		Black	499

\*Not including the pin

# PUSH-TYPE RETAINER SPECIFICATION CHART




Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
21624	1	16mm	10mm	8mm		Black	501
21631	4	20mm	8mm*	8mm		Black	515
21645	7	15mm	15mm	6.3mm		Black	500
21651	4	20mm	10mm	8mm		Black	517
21658	4	15mm	11mm	6mm		Black	498
21662	8	11mm	11mm	7mm		Black	492
21663	1	10mm	9mm	5mm		Black	491
21672	6	18mm	20mm	6.3mm		Black with Sealer	511
21680	4	18mm	10mm	8mm		Black	507
21702	4	18mm	12mm	10mm		Black	509
21703	Misc.	18mm	12mm	7mm		Black	508
21711	6	11mm	16mm	6mm		Black Nylon & Santoprene Rubber	493
21769	1	13mm	13mm	8mm		Black	495
21778	5	20mm	21mm	8.5		Black	522
21779	7	10mm	11mm	6.3mm		Black	491
21780	7	9mm	7mm	5mm		Black	490
21781	5	20mm	16mm	6.3mm		Black	521
21807	1	18mm	14mm	8mm		Black	509
21810	1	22mm	14mm	6.3mm		Black	525
21811	8	20mm	10mm	8mm		Black	517
21812	Misc.	20mm	13mm	8mm		Black	519
21849	4	13mm	15mm	5.5mm		Black	496
21856	4	20mm	12mm	10mm		Black	518
21858	5	18mm	14mm	6mm		Black	509
21859	7	16mm	11mm	8mm		Black	502
21860	4	22mm	14mm	13mm		Black	525
21875	5	12.5mm	9mm	6mm		Black	494
21876	3	18mm	18mm	9mm		Black	511
21881	7	10mm	12mm	6.3mm		Black	491
21882	5	12mm	14mm	6mm		Black	494
21883	5	20mm	14mm	8mm		Black	520
21898	8	17.5mm	9mm	6mm		Black	505
21935	4	12mm	10mm	6mm		Black	493
21967	7	8mm	7mm	3.5mm		Black	490
21968	7	8mm	8mm	4mm		Black	490
21969	7	16mm	10mm	6mm		Black	501
21970	7	13mm	10mm	6mm		Black	495
21971	7	16mm	14mm	9mm		Black	503
21972	7	10.5mm	6mm	6mm		Black	492
21973	Misc.	20mm	10mm	6mm		Tan	517

\*Not including the pin

# Sec. 19

# PUSH-TYPE RETAINER SPECIFICATION CHART



Auveco Part No.	Type	Head Diameter	Stem Length	Fits in Hole Size	Shoulder Length	Color	Page No.
21989	7	11mm	7mm	7mm		Black	492
21990	5	15mm	8mm	7mm		Black	497
22039	4	16mm x 19mm	12mm	8mm		Black	518
22041	3	14mm x 21mm	16mm	8mm		Black	532
22047	4	25mm	9mm*	8mm		Gray & Black	527
22049	2	18mm	20mm	9mm		Black	511
22052	5	20mm	17mm	6.3mm		Black	521
22058	8	14mm	9mm	7mm		Black	496
22068	4	20mm	13mm	8.5mm		White	519
22069	4	20mm	13mm	8.5mm		White	519
22072	4	38mm	32mm	22mm		Black	531
22077	1	18mm	9mm	9mm		Black	507
22083	4	16mm	10mm	8mm		Black	501
22095	7	22mm	13mm	8mm		Black	525
22100	4	20mm	12mm	8.5mm		Black	519
22101	7	22mm	12mm	7.5mm		Black	525
22112	4	20mm	13mm	8.5mm		Black	519
22125	4	10mm	10mm	5mm		Black	491
22126	6	19mm	28mm	9mm		Black	514
22155	7	13mm	13mm	8mm		Black	495
22160	8	15mm	10mm	7mm		Black	498
22177	Misc.	16mm	13mm	9mm		Yellow & White	502
22178	4	13mm	10mm	7mm		Black	495
22181	4	18mm	10mm	8mm		Black	507
22199	1	15mm	12mm	6.3mm		Black	498
22201	5	12.5mm	12mm	8.5mm		Black	494
22219	3	18mm	23mm	7.5mm		Black	512
22227	3	18mm	20mm	7mm		Black	511
22230	8	10mm	8.5mm	5mm		Black	490
22234	Misc.	16mm	11mm	8mm		Black	502
22238	5	10mm	11mm	5mm		Black	491
22248	5	19mm	12mm	8mm		Black	513
22253	5	18mm	14mm	8mm		Black	509
22256	1	24mm	12mm	12mm		Black	526
22270	4	20mm	10mm	8mm		Black	517
22280	10	10mm	11mm	5mm		Black	498
22282	8	22mm	25mm	8mm		Gray	526
22284	6	25mm	24mm	8.5mm		Black	528
22299	2	20mm	26mm	9.5mm		Black	523
22303	1	12mm	13mm	7mm		Black	494
22306	5	20mm	10mm	8mm		Black	517
22339	1	30.5mm	17mm	8.5mm		Black	531
22347	3	15mm	21mm	8mm		Black	500
22349	3	14mm	18mm	8mm x 11mm		Black	497
22354	3	18mm	18mm	7mm		Black	510

\*Not including the pin

## 15301


### Clip Removal Tool

*Photos not actual size*


The right tool for removing clips and retainers quickly and easily. Simply seat the tool on the shaft of the fastener and squeeze the handles together.

Made of high carbon steel and heat treated for strength. Zinc plated with vinyl molded handle grips.


UNIT PACKAGE: 1



• Door Trim



• Wiring Stays




• Hood Insulation

## Truck Seat Springs

### 16213

(E0TB-1063-226AC,  
E3TB-1063-226AA)



*Photo not actual size*

Length: 52"  
Width: 16-3/4"  
Number of Wires: 52  
Ford Full Size Pick-Ups &  
Light Truck 1980-On

UNIT PACKAGE: 5

## Wire Bending Tool

### 16894



*Photo not actual size*

For truck seat springs

A tough tool that makes difficult wire repairs easy. You can bend the ends of no sags, edgewise and foam springs right on the spot, making offsets where you need them. Can be readily mounted in a vise for duplicating complex repetitive wire bends. Constructed of heat-hardened steel for long life.

UNIT PACKAGE: 1



**17000**  
(16506582)

Horizontal Headlight Adjuster  
Chevrolet Corsica & Lumina (APV),  
Olds Silhouette (APV)  
and Pontiac Trans Sport (APV)  
1987-On

*Photo not  
actual size*

UNIT PACKAGE: 2



**11243**

(343543, 343555,  
354076, 362379)

1/4"-28 x 2"  
Headlight Adjusting Screw &  
Nut Assembly  
GM 1962-On

UNIT PACKAGE: 10

**11244**

Same as 11243 except for  
unit package quantity

UNIT PACKAGE: 100



**11245**

(343543, 343555, 354076, 362379)  
Nylon

Headlight Adjusting Nut  
GM 1962-On

UNIT PACKAGE: 50



**11246**

(343543, 354076, 9438150, 15705372)  
Zinc

1/4"-28 x 2"  
Headlight Adjusting Screw  
GM 1962-On

UNIT PACKAGE: 25



**10759**

(GM: 1600375, 1606642, 1618890;  
AMC: SF 400 6204)

1/4"-28 x 1-7/8"  
Headlight Adjusting Screw &  
Nut Assembly  
Cadillac & Oldsmobile 1975-On  
AMC

UNIT PACKAGE: 10

**11470**

Same as 10759 except for  
unit package quantity

UNIT PACKAGE: 25

**11657**

Same as 10759 except for  
unit package quantity

UNIT PACKAGE: 100



**11826**

(365270)  
Green Nylon

1/4"-28 x 2"  
Headlight Adjusting Screw &  
Nut Assembly  
Cars with Fiberglass Panels  
GM 1976-On

UNIT PACKAGE: 25




**11718**

(365270)  
Green Nylon

Headlight Adjusting Nut  
For Cars with Fiberglass Panels  
GM 1976-On

UNIT PACKAGE: 50




**11665**

(556196, 557057)  
Nylon

#12-28 x 1-3/4"  
Headlight Adjusting Screw  
& Nut Assembly  
GM 1975-On

UNIT PACKAGE: 25



**11655**  
(557057, 559312)  
Nylon


#12-28 x 1-3/4"  
Headlight Adjusting Screw &  
Nut Assembly  
GM 1975-On

UNIT PACKAGE: 25

**11656**

Same as 11655 except for  
unit package quantity

UNIT PACKAGE: 100



**11667**  
(556539)  
Nylon

#12-28 x 1-3/4"  
Headlight Adjusting Screw &  
Nut Assembly  
Buick & Oldsmobile 1977-On

UNIT PACKAGE: 25




**12605**

(22512857, 22513813)  
Nylon

#12-28 x 1-3/4"  
Headlight Adjusting Screw &  
Nut Assembly  
Camaro & Firebird 1975-On


UNIT PACKAGE: 10



**11871**  
(559312)  
Nylon

#12-28 x 1-11/16"  
Headlight Adjusting  
Screw & Nut Assembly  
Chevrolet, Oldsmobile &  
Pontiac 1975-On

UNIT PACKAGE: 10



**9851**  
(3921446)  
White Nylon

Headlight Adjusting Nut  
Use with 1/4"-28 Screw  
Chevrolet

UNIT PACKAGE: 50



**5788**  
Nylon

Headlight Adjusting Nut  
Chevrolet: All Early Models

UNIT PACKAGE: 50



**5789**

Headlight Adjusting Screw &  
Nut Assembly  
Chevrolet

UNIT PACKAGE: 25 Sets



**3209**  
Zinc

1/4"-28 x 1"  
Headlight Adjusting Screw

UNIT PACKAGE: 50



**3178**  
(5949838)

Headlight  
Adjusting Screw &  
Nut Assembly  
Chevrolet, Buick &  
Pontiac

UNIT PACKAGE: 10 Sets



**20378**

(Not Supplied by O.E.M.)  
White Nylon

Headlight Adjusting Screw Nut  
**Component of Auveco 3178**  
Headlight Adjusting  
Screw Assembly  
Buick, Chevrolet & Pontiac

UNIT PACKAGE: 25



**15676**

(16510893)  
Natural Nylon

Composite Headlight Nut  
Screw Size: #6  
Square Head: 3/8"  
Buick Electra (FWD) 1987-On

UNIT PACKAGE: 50

**19486**

(10298115)  
Natural Nylon



*Photo not  
actual size*

Headlight Retainer  
Width: 1-1/8"  
Length: 4-9/16"  
Buick Century & Regal and  
Oldsmobile Intrigue 1997-On

UNIT PACKAGE: 10



**9829**

(380382)  
Natural Nylon

Headlight Bezel to Body Nut  
Screw Size: #6 or #8  
GM

UNIT PACKAGE: 50



**14002**

(16503329)  
Black Nylon

Screw Size: #6  
Square Head: 3/8"  
Fits 1/4" Square Hole  
GM

UNIT PACKAGE: 100

**20864**

(15281294)  
White Nylon



*Photo not  
actual size*

Headlight Retainer  
Width: 1-1/8"  
Length: 5-9/16"  
Chevrolet Impala & Monte Carlo 2006 - On

UNIT PACKAGE: 10



**11838**

(1254815)  
Natural Nylon

Screw Size: #6  
Panel Range: .060"-.150"  
GM 1977-On

UNIT PACKAGE: 50



**10090**

(3923948)

Headlight  
Adjusting Spring  
Chevrolet 1968-On

UNIT PACKAGE: 25



**13450**

(347347)  
Natural Nylon

Front Lights  
Screw Size: #8  
Panel Range: 1/16"-5/32"  
GM 1967-On

UNIT PACKAGE: 50



**8942**

(3863669)  
Nylon

Radiator Grille to Headlight Nut  
Screw Size: #8 or #10  
Chevrolet

UNIT PACKAGE: 25




**10330**

(3893980)  
Natural Nylon

Front End & Instrument Panel Nut  
Screw Size: #8  
GM 1967-On

UNIT PACKAGE: 100





## 11691

(3919773)  
Natural Nylon

Headlight Bezel Nut  
Screw Size: #8  
GM 1974-On

UNIT PACKAGE: 100



## 11424

(3985058)  
Natural Nylon

Truck Grille Nut  
Screw Size: #6 or #8  
GM Trucks 1974-On

UNIT PACKAGE: 25



## 11855

(GM: 9669486;  
Renault: 8934-201-262)  
Natural Nylon

Side Marker Nut  
GM 1980-On  
Rear License Plate Bracket  
Screw Size: #8  
AMC/Renault

UNIT PACKAGE: 25



## 13960

(14013246)  
Natural Nylon

Headlight Bezel Nut  
Screw Size: #8  
Fits into 5/16" Hole  
GM 1967-On

UNIT PACKAGE: 50



## 14031

(12337852, 15596279, 21035018)  
Black Nylon

Grille Retainer & Cowl Vent Nut  
Screw Size: #8 or #10  
Astro, Safari & Saturn 1985-On

UNIT PACKAGE: 25



## 14014

(GM: 20475950, 20624923;  
VW: 175-853-674)  
Black Nylon

Air Vent Nut  
GM & VW

UNIT PACKAGE: 50



## 13933

Natural Nylon

Grille Nut  
Screw Size: #8 or #10  
Head Size: 1/2"

UNIT PACKAGE: 50



## 12735

(GM: 1370853; Chry: 6029501;  
VW: 179-813-883)  
Natural Nylon

Headlight Bezel Nut  
Screw Size: #6  
GM, Chrysler & VW 1982-On

UNIT PACKAGE: 50



## 10305

Natural Nylon

Nylon Nut  
Screw Size: #8

UNIT PACKAGE: 50



## 14145

(16503548)  
Nylon &  
Stainless Steel

Headlight Glass nut  
GM 1983-On

UNIT PACKAGE: 25



## 9069

(1355003)  
Natural Nylon

Headlight Door to  
Radiator Grille Anchor Nut  
Screw Size: #6 or #8  
Buick 1964-On

UNIT PACKAGE: 50



## 14030

(GM: 3997391; VW: 179-813-881)  
Black Nylon

Tail Light Nut  
Screw Size: #8  
GM Astro & Safari 1985-On  
Volkswagen

UNIT PACKAGE: 25